Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	426	717/138-139.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/12/05 14:51
S2	78	S1 and (native-code or (native adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:52
S3		S2 and ((memory with access) with table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:52
S4	680	interpreter and (hardware\$1 with (simulat\$3 or mimic or imitation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S5	124	S4 and ((buffer\$3 or cach\$3 or repositor\$3 or database\$1 or table\$1) with (access\$3 with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 16:05
S6	112	interpreter and ((hardware\$1 or processor\$1) with (simulat\$3 or mimic or imitation)) and ((native adj code) or native-code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S7	. 23	S6 and ((table\$1 or database\$1 or repositor\$3 or buffer or cache) with (maintain\$3 or record\$3 or keep\$3 or stor\$3) with (memory with access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S8	939	interpreter and ((hardware\$1 or processor\$1) with (simulat\$3 or mimic or imitation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56

S9	54	S8 and ((monitor\$3 or record\$3 or watch\$3) with (memory near access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S10	2	S5 and ((buffer\$3 or cach\$3 or repositor\$3 or database\$1 or table\$1) with ((accessible or accessibility) with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S11	10	S4 and ((buffer\$3 or cach\$3 or repositor\$3 or database\$1 or table\$1) with ((record\$3 or sav\$3 or maintain\$3) with access\$3 with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S12	` 25	S8 and ((table\$1 or database\$1 or repositor\$3 or buffer or cache) with (maintain\$3 or record\$3 or keep\$3 or stor\$3) with (memory near access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S13	3	S8 and ((monitor\$3 or record\$3 or watch\$3) with (memory near access\$3) with (table\$1 or database\$1 or repositor\$3 or buffer or cache))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S14	72	S6 and ((maintain\$3 or record\$3 or keep\$3 or stor\$3 or sav\$3) with (memory with access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S15	2	"6907519"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/12/05 14:56
S16	79	S6 and ((maintain\$3 or record\$3 or keep\$3 or stor\$3 or sav\$3) with (memory with (access\$3 or reference)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56

S17	75	S16 and (readable or writable or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S18	7473	table\$1 with (record\$3 or maintain\$3 or stor\$3 or keep\$3 or sav\$3) with (memory with access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S19	145	S18 and interpreter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S20	495	S18 and (table\$1 with (readable or writable or executable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S21	21	S20 and (monitor\$3 with (memory with access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S22	1	S18 and (interpreter and (hardware with simulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S23		((native adj code) or native-code) same (illegal with access with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S24	458	S4 and ((buffer\$3 or cach\$3 or memory or repositor\$3 or database\$1 or table\$1) with ((access\$3 or referenc\$3) with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56

S25	268	S24 and ((buffer\$3 or cach\$3 or	US-PGPUB;	OR .	ON	2006/12/05 14:56
		memory or repositor\$3 or database\$1 or table\$1) with (readable writable or executable))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S26	258	S24 and ((buffer\$3 or cach\$3 or memory or repositor\$3 or database\$1 or table\$1) with ((readable writable or executable) with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S27 _.	32	S25 and ((buffer\$3 or cach\$3 or memory or repositor\$3 or database\$1 or table\$1) with ((accessible or accessibility) with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S28	458	S4 and ((buffer\$3 or cach\$3 or memory or repository or database) with ((access\$3 or referenc\$3) with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:56
S29	12	S4 and ((buffer\$3 or cach\$3 or repositor\$3 or database\$1 or table\$1) with ((record\$3 or keep\$3 or sav\$3 or maintain\$3 or monitor\$3) with (access\$3 with memory)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 16:11
S30	40768	(record\$3 or keep\$3 or sav\$3 or maintain\$3 or monitor\$3) with (access\$3 with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	·OR	ON	2006/12/05 16:12
S31	645	S30 and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 16:14
S32	23	S30 and "717"/138-139.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 16:14